

# Small workgroup mono

MS331dn, MS431dn

MX331adn, MX431adn



# Compact performance. Non-stop productivity.



## MS331dn

38 ppm\*  
2-line display  
RMPV of 500 to 5000 pages\*\*  
Standard input up to 350 pages  
Maximum input up to 900 pages  
Toner yields up to 15,000 pages\*\*\*  
Ethernet

## MS431dn

40 ppm\*  
2-line display  
RMPV of 800 to 8,000 pages\*\*  
Standard input up to 350 pages  
Maximum input up to 900 pages  
Toner yields up to 20,000 pages\*\*\*  
Gigabit Ethernet

## MX331adn

38 ppm\*  
7.2 cm touch screen  
RMPV of 800 to 8,000 pages\*\*  
Standard input up to 350 pages  
Maximum input up to 900 pages  
Toner yields up to 15,000 pages\*\*\*  
Single-side automatic scanner  
Analogue fax  
Ethernet

## MX431adn

40 ppm\*  
7.2 cm touch screen  
RMPV of 800 to 8,000 pages\*\*  
Standard input up to 350 pages  
Maximum input up to 900 pages  
Toner yields up to 20,000 pages\*\*\*  
Double-side automatic scanner  
Analogue fax  
Gigabit Ethernet

Not all products are available in all geographical regions or countries. Please consult your local sales/product management to confirm the specific products and availability dates for your location.  
\*Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). \*\*\*"Recommended Monthly Page Volume" is a range of pages that helps customers to evaluate Lexmark's product offerings based on the average number of pages that customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed and typical customer usage. \*\*\*Average continuous mono declared yield in one-sided (simplex) mode of up to this number of pages in accordance with ISO/IEC 19752. Actual yield will vary considerably depending on many factors. See [www.lexmark.com/yields](http://www.lexmark.com/yields) for more information.

# Built for small spaces



**Small footprint** fits almost anywhere.



**Light weight** makes it easy to unpack and set up.



**Paper exits toward the front** so it's easy to grab and go.

# So easy to keep going



**Unison™ Toner** cartridge yields up to 6,000 pages\*



**Lifetime** fuser\*\*



Steel frames for **durability**

\*Average continuous mono declared yield in one-sided (simplex) mode of up to this number of pages in accordance with ISO/IEC 19752. Actual yield will vary considerably depending on many factors. See [www.lexmark.com/yields](http://www.lexmark.com/yields) for more information. \*\*Expected fuser yield exceeds expected life of product. Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

# So easy to use

The MFPs have a 7.2 cm colour touch screen\*



## Built-in workflows include



Copy



Scan to email



Scan to  
network folder



Scan to FTP



Scan to USB  
stick or  
USB-connected  
computer  
(some models)



Bookmarks



Lexmark Cloud  
Connector  
to scan to and  
print from popular  
cloud services

\*Does not support optional Lexmark or third-party Solutions.

# Full-spectrum security

**Security is a key element**  
of our product design.



# Sustainability



### Standard duplex printing

reduces paper use



### Built-in energy savings

by going from sleep to print to sleep automatically



### Recycle cartridges

through the Lexmark Cartridge Collection Programme



### Validation

Printer is rated EPEAT® Silver\* and ENERGY STAR® certified

\*EPEAT ratings may vary by location – see [www.epeat.net](http://www.epeat.net) for registration status by country.



Lexmark™