


Print, Scan, Copy, Fax

HP Officejet Pro X476/X576 dw MFP series



Print professional-quality colour—up to twice the speed¹ and up to half the cost per page of colour lasers²—using HP PageWide Technology. Help workgroups thrive with versatile functions and easy manageability.



HP Officejet Pro X476dw

Top features

Up to twice the speed¹ and up to half the printing cost² of colour lasers

- Produce quality prints with Original HP inks, and save up to 50% on printing costs versus colour lasers²
- New General Office mode delivers high-quality prints at top speeds while saving ink, time, and money
- Print brilliantly at breakthrough speed with the same HP PageWide Technology found in top-end digital presses

Empower workgroups with an easy-to-manage MFP

- Tap and swipe the intuitive 4.3-inch colour touchscreen to print, copy, scan, fax, and send digital files⁹
- Proactively manage this device and remotely monitor status with industry-leading tools like HP Web Jetadmin¹¹
- Print up to 9,200 pages per cartridge¹⁰ and load up to 1,050 sheets at once with the optional paper tray³
- Depend on HP for reliable workgroup printing—designed for high volumes up to 4,200 pages per month

Connect and print—at the office or on the go⁵

- Print wirelessly, and share access with PCs, tablets, and mobile devices⁴—even with no network or router⁶
- Print from your smartphone or tablet from virtually anywhere with HP ePrint⁵
- Add this device to your office Ethernet network to share with your workgroup
- Walk up and print right away, using the easy-access USB port. Print from a thumb drive or scan straight to it

Conserve resources without sacrificing performance

- Keep costs in line. This ENERGY STAR[®] qualified device uses up to 50% less energy than colour lasers⁷
- Reduce paper use by up to 50% with automatic two-sided printing, and maintain efficiency at breakthrough speeds
- Conserve resources, using up to 50% less cartridge and packaging material by weight compared with colour lasers¹²
- Reduce your impact—easily recycle your Original HP ink cartridges for free through HP Planet Partners⁹

¹ Comparison based on manufacturers published specifications of fastest available colour mode (as of March 2012) and includes colour laser MFPs <\$1,000 USD and colour laser printers <\$800 USD as of March 2012, based on market share as reported by IDC as of Q1 2012 and HP internal testing of printer in fastest available colour mode (sample 4-page category documents tested from ISO 24734). For more information, see hp.com/go/printerspeeds.

² Cost per page (CPP) claim is based on the majority of colour laser MFPs <\$1,000 USD and colour laser printers <\$800 USD as of March 2012, ISO yield based on continuous printing in default mode based on market share as reported by IDC as of Q1 2012. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. CPP based on HP 970XL/971XL ink cartridges' estimated street price. For more information, see hp.com/go/learnaboutequipment. ³ Capacity up to 1,050 sheets with optional 1x500 sheet accessory paper tray not included; please purchase separately. ⁴ Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz routers only. ⁵ Requires an Internet connection to an HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types, and other HP ePrint details, see hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary.

⁶ Wireless performance is dependent upon physical environment and distance from access point. ⁷ Compares majority of colour laser printers <\$800 USD and colour laser MFPs <\$1000 as of August 2012. Energy use based on HP and third-party testing commissioned by HP. Actual cost and energy usage may vary. For details, see hp.com/go/officejet. ⁸ Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements, and requires a firmware upgrade. For details, hp.com/go/eprintcenter. ⁹ Program availability varies. Original HP cartridge return and recycling is currently available in more than 47 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit hp.com/recycle. ¹⁰ Page volume based on HP 970XL black ink cartridge.

¹¹ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin.

¹² Compares weight of empty cartridge and packaging materials needed for 15,000 pages using highest-capacity cartridges of major in-class competitors' colour laser MFPs <\$1,000 USD and colour laser printers <\$800 USD as of October 2012. Tested by Buyers Lab Inc. For details, see hp.com/go/officejet.

HP Officejet Pro X576dw MFP shown



- 1 4.3-in Magic Frame colour touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port
- 2 Automatic two-sided printing
- 3 500-sheet input tray (tray 2)
- 4 50-sheet multi-purpose tray (tray 1)
- 5 300-sheet face-down output bin
- 6 On/Off Switch
- 7 Exclusive paper/supplies storage area
- 8 Pigment inks for water and fade resistant output
- 9 50-page double sided automatic document feeder
- 10 Built-in wired Ethernet 10/100BaseTX networking and WiFi 802.11b/g/n for wireless printing
- 11 792 Mhz processor, 768 MB standard memory
- 12 Front USB Port for easy access
- 13 Built-in high-speed USB 2.0 port for connecting third-party devices
- 14 Built-in high-speed USB 2.0 port for printing from computer
- 15 Optional 2nd 500 sheet tray (tray 3)

Series at a glance



X476dw



X576dw

Part number	CN461A	CN598A
Print speeds¹	Up to 36 ppm A4 (Up to 36 ppm letter)	Up to 42 ppm A4 (Up to 42 ppm letter)
Control panel	4.3-in Magic Frame colour touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port	4.3-in Magic Frame colour touchscreen; rotating (adjustable angle) display; illuminated Home, back, return, help, forward, and cancel buttons; USB 2.0 port
HP ePrint Capability	Yes	Yes
Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11 b/g/n Station; 802.11 b/g Access Point	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11 b/g/n Station; 802.11 b/g Access Point
External I O Ports	1 USB 2.0; 2 Host USB; 1 Ethernet; 1 WiFi 802.11b/g/n; 1 RJ-11 fax	1 USB 2.0; 2 Host USB; 1 Ethernet; 1 WiFi 802.11b/g/n; 1 RJ-11 fax
Input capacity	500-sheet input tray, 50-sheet multi-purpose tray	500-sheet input tray, 50-sheet multi-purpose tray
Output capacity	300-sheet face-down output bin	300-sheet face-down output bin
Memory	768 MB	768 MB
Automatic two-sided printing	Yes	Yes
HP Auto Wireless Connect	Yes	Yes
ENERGY STAR® qualified	Yes	Yes

¹After first set of ISO test pages. For more information, see hp.com/go/printerclaims

Technical specifications

HP Officejet Pro X476dw MFP (CN461A)

HP Officejet Pro X576dw MFP (CN598A)

AiO Functions	Print, copy, scan, digital send, fax, easy access USB drive, web; AiO multitasking Supported: Yes	Print, copy, scan, digital send, fax, easy access USB drive, web; AiO multitasking Supported: Yes
Print		
Technology	HP Pagewide Technology with pigmented inks	HP Pagewide Technology with pigmented inks
Print resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)
Printer languages	HP PCL 5c, HP PCLXL (PCL 6), native PDF, HP Postscript Level 3 emulation	HP PCL 5c, HP PCLXL (PCL 6), native PDF, HP Postscript Level 3 emulation
Duplex print options	Automatic (standard)	Automatic (standard)
Borderless printing	No	No
Print Speed¹		
Black	Up to 55 ppm (draft, A4); Up to 36 ppm (ISO, laser-comparable)	Up to 70 ppm (draft, A4); Up to 42 ppm (ISO, laser-comparable)
Colour	Up to 55 ppm (draft, A4); Up to 36 ppm (ISO, laser-comparable)	Up to 70 ppm (draft, A4); Up to 42 ppm (ISO, laser-comparable)
Fax		
Transmission Speed	Up to 33.6 kbps; 4 sec per page	Up to 33.6 kbps; 4 sec per page
Resolution	Black (standard): 203 x 98 dpi; Colour (standard): 200 x 200 dpi	Black (standard): 203 x 98 dpi; Colour (standard): 200 x 200 dpi
Memory (A4)	Up to 100 pages (black and white); Up to 8 pages (colour)	Up to 100 pages (black and white); Up to 8 pages (colour)
Speed dials	Up to 99 numbers	Up to 99 numbers
Fax Features	Faxing: Yes, colour; Auto fax reduction supported: Yes; Auto-redialling: Yes; Fax delayed sending: Yes; Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Fax phone TAM interface supported: Yes; Fax polling supported: Yes; Junk barrier supported: Yes, requires Caller ID; PC Interface supported: Yes, HP Software support provided; Telephone handset supported: No; Fax smart software features (digital fax): Fax to Computer is available with Windows and Macintosh (Please use: Visit hp.com/support to download the latest software.)	Faxing: Yes, colour; Auto fax reduction supported: Yes; Auto-redialling: Yes; Fax delayed sending: Yes; Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Fax phone TAM interface supported: Yes; Fax polling supported: Yes; Junk barrier supported: Yes, requires Caller ID; PC Interface supported: Yes, HP Software support provided; Telephone handset supported: No; Fax smart software features (digital fax): Fax to Computer is available with Windows and Macintosh (Please use: Visit hp.com/support to download the latest software.)
Scan		
Type	Flatbed, ADF	Flatbed, ADF
Technology	Contact Image Sensor (CIS)	Contact Image Sensor (CIS)
Resolution	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi
Max scanning size	ADF, Flatbed: 216 x 356 mm	ADF, Flatbed: 216 x 356 mm

HP Officejet Pro X476dw MFP (CN461A)**HP Officejet Pro X576dw MFP (CN598A)**

Input modes	Front panel applications: Copy, Scan to E-mail, Scan to Network Folder, Scan to USB, Scan to Computer with SW, Open Extensibility Platform (EXP-LE) applications; Client applications: EWS and HP Scan App	Front panel applications: Copy, Scan to E-mail, Scan to Network Folder, Scan to USB, Scan to Computer with SW, Open Extensibility Platform (EXP-LE) applications; Client applications: EWS and HP Scan App
Twain Version	Version 1.9	Version 1.9
Grayscale Levels	256	256
Image Scaling or Enlargement Range	25 to 400% in 1% increments	25 to 400% in 1% increments
Copy		
Speed	Black: Up to 55 cpm (draft, letter); Up to 36 cpm (ISO, laser-comparable) Colour: Up to 55 cpm (draft, letter); Up to 36 cpm (ISO, laser-comparable)	Black: Up to 70 cpm (draft, letter); Up to 42 cpm (ISO, laser-comparable) Colour: Up to 70 cpm (draft, letter); Up to 42 cpm (ISO, laser-comparable)
Resolution	Black (text and graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi	Black (text and graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi
Max copies	Up to 99 copies	Up to 99 copies
Reduce/enlarge	25 to 400%	25 to 400%
Copier settings	HP Copy Fix, ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults	HP Copy Fix, ID Copy; Resize; Quality; Lighter/Darker; Two-sided copying; Tray Selection; Collate; Margin Shift; Crop; Copy Preview; Enhancements; Set as New Defaults
Display		
	4.3" CGD (colour graphics), touchscreen	4.3" CGD (colour graphics), touchscreen
Media		
Duty cycle (monthly, A4) ²	Up to 50,000 pages	Up to 75,000 pages
Recommended monthly volume ³	Up to 500 to 2,800 pages	Up to 1,000 to 4,200 pages
Supported sizes	Tray 1: Oficio; A4; A5; A6; B5 (JIS); B6 (JIS); 16K; 10 x 15 cm; L; Hagaki; envelopes (B5; C5; C6; DL; Chou #3; Chou #4); Tray 2: A4; A5; B5 (JIS); 16K; envelopes (DL; B5; C5; Chou #3); Tray 3: A4; A5; B5 (JIS); 16K	Tray 1: Oficio; A4; A5; A6; B5 (JIS); B6 (JIS); 16K; 10 x 15 cm; L; Hagaki; envelopes (B5; C5; C6; DL; Chou #3; Chou #4); Tray 2: A4; A5; B5 (JIS); 16K; envelopes (DL; B5; C5; Chou #3); Tray 3: A4; A5; B5 (JIS); 16K
Recommended Weights	60 to 120 g/m ² (plain paper); 125 to 300 g/m ² (photo); 75 to 90 g/m ² (envelope); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card)	60 to 120 g/m ² (plain paper); 125 to 300 g/m ² (photo); 75 to 90 g/m ² (envelope); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card)
Supported Weights	Tray 1: 60 to 120 g/m ² (plain paper); 125 to 300 g/m ² (photo); 75 to 90 g/m ² (envelope); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card); Tray 2: 60 to 120 g/m ² (plain paper); 125 to 250 g/m ² (photo); 75 to 90 g/m ² (envelope); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card); Tray 3: 60 to 120 g/m ² (plain paper); 125 to 250 g/m ² (photo); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card)	Tray 1: 60 to 120 g/m ² (plain paper); 125 to 300 g/m ² (photo); 75 to 90 g/m ² (envelope); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card); Tray 2: 60 to 120 g/m ² (plain paper); 125 to 250 g/m ² (photo); 75 to 90 g/m ² (envelope); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card); Tray 3: 60 to 120 g/m ² (plain paper); 125 to 250 g/m ² (photo); 120 to 180 g/m ² (brochure); 163 to 200 g/m ² (card)
Types	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)
Auto Document Feeder Capacity	Standard, 50 sheets	Standard, 50 sheets

HP Officejet Pro X476dw MFP (CN461A)**HP Officejet Pro X576dw MFP (CN598A)**

Memory	768 MB	768 MB
Operating system compatibility	Windows 8, Windows 7, Windows Vista, Windows XP (SP3, 32-bit), Mac OS X v10.6, Mac OS X Lion, Mac OS X Mountain Lion, Linux (hplip.net)	Windows 8, Windows 7, Windows Vista, Windows XP (SP3, 32-bit), Mac OS X v10.6, Mac OS X Lion, Mac OS X Mountain Lion, Linux (hplip.net)
Minimum system requirements	<p>PC: Windows 8, Windows 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor; 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 800 MHz 32-bit (x86) or 64-bit (x64) processor; 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows XP (SP3) or higher (32-bit only): any Intel® Pentium® II, Celeron® or compatible processor; 233 MHz or higher; 750 MB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6 or higher; Linux: For more information, see hplip.net; SAP: For more information see hp.com/go/sap/drivers;</p> <p>Mac: Mac OS X v10.6, OS X Lion, OS X Mountain Lion; Intel® Core™ Processor; 1 GB available hard disk space; CD-ROM/DVD drive or Internet connection; USB port</p>	<p>PC: Windows 8, Windows 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor; 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 800 MHz 32-bit (x86) or 64-bit (x64) processor; 2 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows XP (SP3) or higher (32-bit only): any Intel® Pentium® II, Celeron® or compatible processor; 233 MHz or higher; 750 MB hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 6 or higher; Linux: For more information, see hplip.net; SAP: For more information see hp.com/go/sap/drivers;</p> <p>Mac: Mac OS X v10.6, OS X Lion, OS X Mountain Lion; Intel® Core™ Processor; 1 GB available hard disk space; CD-ROM/DVD drive or Internet connection; USB port</p>
Connectivity and communications		
Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11 b/g/n Station; 802.11 b/g Access Point	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Ethernet 10/100 Base-TX network; 1 RJ-11 modem port; 802.11 b/g/n Station; 802.11 b/g Access Point
Network capabilities	Standard (built-in Ethernet and WiFi 802.11b/g/n)	Standard (built-in Ethernet and WiFi 802.11b/g/n)
Mobile printing capability ⁴	HP ePrint, HP ePrint Mobile Apps, Google Cloud Print, HP ePrint Wireless Direct, Apple AirPrint™	HP ePrint, HP ePrint Mobile Apps, Google Cloud Print, HP ePrint Wireless Direct, Apple AirPrint™
Software included	Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Update; HP Participation Study; Bing Toolbar; HP Smart Print; IRIS OCR	Windows Installer and discrete PCL 6 driver; Mac Installer and PS driver; HP Update; HP Participation Study; Bing Toolbar; HP Smart Print; IRIS OCR
Dimension (W x D x H)	517 x 399 x 517 mm	517 x 399 x 517 mm
Weight	24 kg	24 kg
Environmental		
Operating Environment	<p>Recommended operating temperature: 15 to 30° C;</p> <p>Operating humidity range: 20 to 80% RH;</p> <p>Storage altitude: 4572 m;</p> <p>Operating altitude: Up to 3048 m</p>	<p>Recommended operating temperature: 15 to 30° C;</p> <p>Operating humidity range: 20 to 80% RH;</p> <p>Storage altitude: 4572 m;</p> <p>Operating altitude: Up to 3048 m</p>
Acoustics	Acoustic power emissions: 6.8 B(A)	Acoustic power emissions: 6.8 B(A)
Power Specifications⁵	<p>Power supply type: Internal (Built-in) Universal Power Supply;</p> <p>Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz);</p> <p>Power consumption: 100 watts (Maximum), 70 watts average (Printing), 10 watts (Ready), 4.8 watts (Sleep), 1.0 watt (Auto-Off), 0.2 watts (Manual-Off)</p>	<p>Power supply type: Internal (Built-in) Universal Power Supply;</p> <p>Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz);</p> <p>Power consumption: 100 watts (Maximum), 70 watts average (Printing), 10 watts (Ready), 4.8 watts (Sleep), 1.0 watt (Auto-Off), 0.2 watts (Manual-Off)</p>

HP Officejet Pro X476dw MFP (CN461A)**HP Officejet Pro X576dw MFP (CN598A)****What's in the box**

HP Officejet Pro X476dw Multifunction Printer; HP 970 Setup Black Ink Cartridge; HP 971 Setup Cyan Ink Cartridge; HP 971 Setup Magenta Ink Cartridge; HP 971 Setup Yellow Ink Cartridge; power cord; phone cord; Ethernet cable; installation guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide). [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies]

HP Officejet Pro X576dw Multifunction Printer; HP 970 Setup Black Ink Cartridge; HP 971 Setup Cyan Ink Cartridge; HP 971 Setup Magenta Ink Cartridge; HP 971 Setup Yellow Ink Cartridge; power cord; phone cord; Ethernet cable; installation guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide). [Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies]

Ordering Information

Number	Description
CN598A	HP Officejet Pro X576dw Multifunction Printer
CN461A	HP Officejet Pro X476dw Multifunction Printer

Ink cartridges

Number	Description
CN621AA	HP 970 Black Ink Cartridge
CN622AA	HP 971 Cyan Ink Cartridge
CN623AA	HP 971 Magenta Ink Cartridge
CN624AA	HP 971 Yellow Ink Cartridge
CN625AA	HP 970XL Black Ink Cartridge
CN626AA	HP 971XL Cyan Ink Cartridge
CN627AA	HP 971XL Magenta Ink Cartridge
CN628AA	HP 971XL Yellow Ink Cartridge

Accessories

Number	Description
CN595A	HP Officejet Pro X Series 500-sheet Paper Tray

Hewlett-Packard offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3559 7777	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Japan	(03) 5628 1101	hp.com/jp
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 8722 9000	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries,

please fax your queries to: (65) 6275 6707

Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Sri Lanka

For more information, please visit us at hp.com/apac/homeandoffice

HP Services

Standard warranty: One year, phone and web support. Advanced exchange for product repair. Phone support provided by HP's commercial support organization.

HP Care Packs: Extend and expand the warranty on your HP Officejet Pro X451/X551 colour printer series with industry leading HP Care Pack service offerings. A variety of 1-year and 3-year options are available, including:

- Next Business Day On-site assisted exchange
- Next Business Day Exchange (unassisted)

Select the HP Care Pack to best meet your needs at hp.com/go/cpc.

Number	Description
U6Z43A	HP 3 year Next Business Day Exchange Officejet Pro X476/X576 MFP Service
U6Z44A	HP 3 year Next Business Day Onsite Exchange Officejet Pro X476/X576 MFP Service
U6Z45A	HP 3 year Return Officejet Pro X476/X576 MFP Service
U6Z46A	HP 3 year Standard Exchange Officejet Pro X476/X576 MFP Service
U6Z47PA	HP 1 year Post Warranty Next day Onsite Exchange Officejet Pro X476/X576 MFP Service
U6Z48PA	HP 1 year Post Warranty Return Officejet Pro X476/X576 MFP Service
U6Z49PA	HP 1 year Post Warranty Standard Exchange Officejet Pro X476/X576 MFP Service
U6Z50PA	HP 1 year Post Warranty Next Business Day Exch Officejet Pro X476/X576 MFP Service
U6Z43E	HP 3 year Next Business Day Exchange Officejet Pro X476/X576 MFP Service
U6Z44E	HP 3 year Next Business Day Onsite Exchange Officejet Pro X476/X576 MFP Service
U6Z45E	HP 3 year Return Officejet Pro X476/X576 MFP Service
U6Z46E	HP 3 year Standard Exchange Officejet Pro X476/X576 MFP Service
U6Z47PE	HP 1 year Post Warranty Next day Onsite Exchange OfficejetPro X476/X576 MFP Service
U6Z48PE	HP 1 year Post Warranty Return Officejet Pro X476/X576 MFP Service
U6Z49PE	HP 1 year Post Warranty Standard Exchange Officejet Pro X476/X576 MFP Service
U6Z50PE	HP 1 year Post Warranty Next Business Day Exch Officejet Pro X476/X576 MFP Service

Paper

hp.com/apac/paper

Software

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

To learn more, visit
hp.com/go/officejetprox

¹ Either after first page or after first set of ISO test pages. For details see hp.com/go/printerclaims. ² Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ³ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁴ HP ePrint requires an Internet connection to the printer and an Account Registration with HP Web Services. Print times may vary. For a list of supported documents and image types for HP ePrint, see hp.com/go/eprintcenter. AirPrint™ and the AirPrint Logo are trademarks of Apple® Inc., registered in the U.S. and other countries. AirPrint requires the printer be connected to the same network as your Apple device. Wireless performance is dependent upon physical environment and distance from the access point. For additional solutions, see hp.com/go/mobile-printing-solutions. ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁶ Not included in purchase and have to be purchased separately. ⁷ Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included cartridge is used to start up the printer. For details see hp.com/go/learnaboutsupplies.

