

## Samsung ProXpress M3325ND

Printer, monochrome, Duplex, laser, A4/Legal, 1200 x 1200 dpi, up to 33 ppm, capacity: 250 sheets, USB 2.0, LAN



Robust ProXpress M3325 series features print speeds of up to 33 ppm. High speed and performance enable businesses to accelerate document and image processing for increased efficiency. ReCP technology improves readability of printed documents by enhancing thin lines and sharpening the edges of negative text. The ProXpress M3325 series delivers sharp, solid prints with effective output print resolutions of up to 1,200 x 1,200 dpi. ProXpress M3325 series offers diverse toner cartridge options from standard-yield toner cartridges that typically yield 3,000 standard pages to ultra-high yield toner cartridges that can yield 15,000 standard pages, which meets every businesses' needs for reducing cost per page.

### General information

	Samsung
Category	Printers
Article number	514480
	SL-M3325ND/SEE

### Technical specifications

Product Description	Samsung ProXpress M3325ND - printer - monochrome - laser
Printer Type	Workgroup printer - laser - monochrome
Weight	9.86 kg
Max Media Size (Standard)	Legal, A4
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Print Speed	Up to 33 ppm - B/W - A4 (210 x 297 mm) ; Up to 35 ppm - B/W - ANSI A (Letter) (216 x 279 mm)
Max Resolution ( B&W )	1200 x 1200 dpi
Automatic Duplexing	Yes
Interface	USB 2.0, LAN
Processor	600 MHz
RAM Installed ( Max )	128 MB ( 128 MB )
Language Simulation	PCL 5E, PostScript 3, PCL 6, SPL (Samsung Printer Language), IBM ProPrinter, EPSON
Media Type	Envelopes, transparencies, labels, plain paper, cards, recycled paper, cotton paper, thick paper, thin paper
Total Media Capacity	250 sheets
Media Handling	250-sheet paper cassette, 1-sheet multipurpose tray
Monthly Duty Cycle (max)	50000 pages
System Requirements	Linux, Microsoft Windows XP, Microsoft Windows Server 2003, Microsoft Windows 7, Microsoft Windows Vista, Microsoft Windows Server 2008 R2, Microsoft Windows Server 2008, Windows 8, Apple MacOS X 10.5 - 10.8
Dimensions (WxDxH)	36.6 cm x 26.25 cm x 36.56 cm

## More detailed technical specifications

### General

Printer Type	Workgroup printer - laser - monochrome
--------------	--

### Printer

Print Speed	Up to 33 ppm - B/W - A4 (210 x 297 mm) ; Up to 35 ppm - B/W - ANSI A (Letter) (216 x 279 mm)
Connectivity Technology	Wired
Interface	USB 2.0, LAN
Max Resolution ( B&W )	1200 x 1200 dpi
Automatic Duplexing	Yes
First Print Out Time B/W	6.5 sec
Language Simulation	PCL 5E, PostScript 3, PCL 6, SPL (Samsung Printer Language), IBM ProPrinter, EPSON
Media Handling	250-sheet paper cassette, 1-sheet multipurpose tray

### Processor

Processor	600 MHz
-----------	---------

### RAM

RAM Installed ( Max )	128 MB / 128 MB (max)
-----------------------	-----------------------

### Media Handling

Media Type	Envelopes, transparencies, labels, plain paper, cards, recycled paper, cotton paper, thick paper, thin paper
Media Size Class	A4/Legal
Max Media Size	Legal (216 x 356 mm), A4 (210 x 297 mm)
Media Sizes	ANSI A (Letter) (216 x 279 mm), Legal (216 x 356 mm), Executive (184 x 267 mm), A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A6 (105 x 148 mm), Folio (216 x 330 mm), JIS B5 (182 x 257 mm), Oficio (216 x 343 mm)
Envelope Sizes	International DL (110 x 220 mm), International C6 (114 x 162 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), Monarch (98.4 x 190.5 mm), Com-9 (98 x 225 mm)
Media Weight	60 g/m2 - 220 g/m2
Total Media Capacity	250 sheets
Media Feeder(s)	1 x autoloader - 250 sheets - Legal (216 x 356 mm) weight: 60 g/m2 - 163 g/m2 ; 1 x autoloader - 1 sheets - Legal (216 x 356 mm) weight: 60 g/m2 - 220 g/m2
Max Media Capacity	771 sheets
Output Trays Capacity	150 sheets

#### Duty Cycle

Monthly Duty Cycle (max)	50000 pages
--------------------------	-------------

#### Expansion / Connectivity

Connections	1 x USB 2.0 - 4 PIN USB Type B ; 1 x LAN - RJ-45
-------------	--

#### Miscellaneous

Consumables Included	1 x toner cartridge ( black ) - up to 3000 pages
Compliant Standards	ISO/IEC 19752

#### Power

Power Device	Power supply - internal
Power Consumption Operational	700 Watt
Power Consumption Stand by	10 Watt
Power Consumption Sleep	1.1 Watt

#### Software / System Requirements

OS Required	Linux, Microsoft Windows XP, Microsoft Windows Server 2003, Microsoft Windows 7, Microsoft Windows Vista, Microsoft Windows Server 2008 R2, Microsoft Windows Server 2008, Windows 8, Apple MacOS X 10.5 - 10.8
-------------	---

#### Environmental Parameters

Sound Emission (Idle)	26 dBA
Sound Emission (Operating)	55 dBA

#### Dimensions & Weight

Width	36.6 cm
Depth	26.25 cm
Height	36.56 cm
Weight	9.86 kg