SAMSUNG

Samsung ProXpress M4075FR Premium Line Laser A4 1200 x 1200 DPI 40 ppm

Brand : Samsung **Product family:** ProXpress **Product code:** SL-M4075FR/PLU

Product name : M4075FR

Premium Line

Samsung ProXpress M4075FR Premium Line. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Direct printing. Product colour: Black, White





Printing		Paper Handling	
Print technology * Printing * Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) *	Laser Mono printing ✓ 1200 x 1200 DPI 40 ppm	Maximum ISO A-series paper size * Maximum print area Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	A4 216 x 297 mm Plain paper, Recycled paper, Thin paper A4,A5,A6 B5
Time to first page (black, normal)	6.5 s	Envelopes sizes	9,10,C5,C6,DL
Copying *	Mono copying	Paper tray media weight Multi-Purpose Tray media weight	60 - 163 g/m² 60 - 220 g/m²
Maximum copy resolution * Copy speed (black, normal quality, A4) Time to first copy (black, normal)	600 x 600 DPI 40 cpm	Ports & interfaces	
		Standard interfaces Direct printing * USB port	Ethernet, USB 2.0 ✓
Maximum number of copies	99 copies	Network	•
Scanning Scanning *	Colour scanning anning resolution * 1200 x 1200 DPI scan resolution 4800 x 4800 DPI nology CIS E-mail, FTP, USB d (black) 24 ppm Mono faxing tion (black) 300 x 300 DPI	Wi-Fi * Ethernet LAN connection * Mobile printing technologies	X ✓ Not supported
		Mobile printing technologies Performance	Not supported
Maximum scan resolution Scan technology Scan to Scan speed (black)		Maximum internal memory Internal storage capacity Card reader integrated Internal memory * Processor frequency Sound pressure level (printing) Sound pressure level (scanning)	512 MB 4 GB × 256 MB 600 MHz 57 dB 58 dB
Faxing * Fax resolution (black)			
Modem speed Fax memory	33.6 Kbit/s 500 pages	Design	
Fax memory Auto-redialing Fax speed dialing, max numbers Fax delayed sending Auto reduction	x memory 6 MB to-redialing x speed dialing, max numbers 200 x delayed sending to reduction	Product colour * Market positioning * Built-in display * Display Energy Management	Black, White Business LCD
Error Correction Mode (ECM)	✓	Power consumption (average operating) *	700 W
Features Maximum duty cycle * Digital sender All-In-One multitasking	100000 pages per month X ✓	Power consumption (standby) Power consumption (off)	10 W 1.1 W

Input & output capacity System Requirements 250 sheets Windows operating systems Total input capacity * 150 sheets supported Total output capacity * Mac operating systems supported Multi-Purpose tray Linux operating systems supported \checkmark Multi-Purpose tray input capacity 50 sheets Cassette, Paper tray Paper input type Weight & Dimensions 820 sheets Maximum input capacity Width 469 mm Depth 444.3 mm Height 481.1 mm Weight 17.1 kg

