



HP Color LaserJet Pro M280-M281 Multifunction Printer series

Streamline productivity with simple scan solutions, high-quality color, and easy mobile printing.²

Make an impact with high-quality color and increased productivity. Get the fastest in-class two-sided printing speed and First Page Out Time (FPOT).^{1,2} Scan, copy, and fax. Count on simple security solutions, and get easy mobile printing.³



HP Color LaserJet Pro MFP M280nw



HP Color LaserJet Pro MFP M281fdn



HP Color LaserJet Pro MFP M281fdw

Increase productivity with a color MFP

- Get the fastest in-class two-sided printing speed and First Page Out Time (FPOT).^{1,2}
- Get automatic two-sided printing, and breeze through tasks with a 50-page automatic document feeder.
- Scan digital files directly to email, network folders, and more. Print documents directly from a USB drive.
- HP Voice-activated printing—your HP printer works with Amazon Alexa, Google Assistant, Microsoft Cortana.⁹

More. Pages, Performance, and Protection.

- Count on high-quality color and more pages with Original HP Toner cartridges with JetIntelligence.⁶
- Spend less time replacing toner, with optional high-yield cartridges.
- This printer helps detect, stop, and give notifications of security breaches.
- This printer includes write-protected memory that helps prevent malware intrusion.

Easy mobile printing and scanning – HP Smart app

- Get simple setup, and print and scan from your phone, with the HP Smart app.⁷
- Have confidence in your connection with steady performance from dual band Wi-Fi®.⁴
- Connect your smartphone or tablet directly to your printer – and easily print without accessing a network.⁷
- Simply tap the print button on your smartphone or tablet to print.³

Product walkaround

1. 6.85 cm (2.7-inch) colour touchscreen with customisable workflows
2. Front-facing USB printing port
3. 100-sheet output bin
4. Fastest in-class automatic two-sided printing ¹
5. Single-sheet priority input tray 1
6. 250-sheet input tray 2
7. 50-sheet ADF handles up to 21.6 x 35.6 cm (8.5 x 14-inch) paper
8. Flatbed scanner handles up to 21.6 x 29.7 cm (8.5 x 11.7-inch) paper
9. Front door (access to toner cartridges)
10. Wi-Fi Direct^{®2}
11. Easy mobile printing with the HP Smart App³
12. Power connection
13. USB 2.0 port
14. Ethernet port
15. Dual Band wireless networking⁴
16. Fax ports



HP Colour LaserJet Pro MFP M281fdw shown

Series at a glance



Model	HP Colour LaserJet Pro MFP M280nw	HP Colour LaserJet Pro MFP M281fdn	HP Colour LaserJet Pro MFP M281fdw
Product number	T6B80A	T6B81A	T6B82A
MFP capabilities	Wireless, Print, copy, and scan	Wireless, Print, copy, scan, and fax	Wireless, Print, copy, scan, and fax
Print speed (A4) Black/color⁵	Up to 21/21 ppm	Up to 21/21 ppm	Up to 21/21 ppm
Control panel	6.85 cm (2.7-inch) colour touchscreen	6.85 cm (2.7-inch) colour touchscreen	6.85 cm (2.7-inch) colour touchscreen
250-sheet input tray 2, single-sheet priority tray 1, 100-sheet output bin	Yes	Yes	Yes
Automatic document feeder (ADF) capacity	50 sheets	50 sheets	50 sheets
Two-sided printing speed, A4 (Black/colour)¹	No	Automatic, 12/12ppm	Automatic, 12/12 ppm
Wi-Fi Direct mobile printing²	Yes	Yes	Yes
Dual Band Wi-Fi⁴	Yes	Yes	Yes
Front-facing USB port	Yes	Yes	Yes
Cartridge yield, black/colour (in pages)⁶	In-box: ~1,400/700 A: ~1,400/1,300 X: ~3,200/2,500	In-box: ~1,400/700 A: ~1,400/1,300 X: ~3,200/2,500	In-box: ~1,400/700 A: ~1,400/1,300 X: ~3,200/2,500

¹ Fastest-in-class first page out time (FPOT) claim and fastest-in-class duplex print speed claim applies only to the HP Colour LaserJet Pro M254 series and MFP M280/M281 series. FPOT comparison based on manufacturers' published specifications for FPOT as of March 6, 2017. Includes colour laser MFPs <\$450 USD and printers <\$300 USD based on market share as reported by IDC as of Q4 2016. Duplex print speed compared with the majority of colour laser printers <\$300 USD and colour laser AiOs <\$450 USD and print speed 0-30 ppm, based on market share of IDC CYQ1 2017 Hardcopy Peripherals Tracker. Automatic duplex printing speed based on manufacturers' published specifications as of June 12, 2017. For more information, see hp.com/go/printerspeeds. ² Mobile device needs to be connected to Wi-Fi Direct[®] signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at hp.com/go/mobileprinting. Wi-Fi Direct[®] is a registered trademark of Wi-Fi Alliance[®]. The HP Colour LaserJet Pro MFP M281fdn model does not offer Wi-Fi Direct. ³ Requires the HP Smart App download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at <http://support.hp.com/us-en/document/c03561640>. For details on local printing requirements, see hp.com/go/mobileprinting. ⁴ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi[®] is a registered trademark of Wi-Fi Alliance[®]. The HP Colour LaserJet Pro MFP M281fdn model does not offer Dual Band wireless networking. ⁵ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁶ Replacement 203A cartridge average composite (C/Y/M) declared yield ~1,300 and average black yield ~1,400 pages; replacement 203X cartridge average composite (C/Y/M) declared yield ~2,500 and average black yield ~3,200 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies

HP Colour LaserJet Pro M280-M281 Multifunction Printer series

Model	HP Colour LaserJet Pro MFP M280nw	HP Colour LaserJet Pro MFP M281fdn	HP Colour LaserJet Pro MFP M281fdw
Functions	Wireless, Print, Copy, Scan	Wireless, Print, Copy, Scan, Fax	
Print			
ePrint capability	Yes		
Speed⁶	Black (normal, A4): Up to 21 ppm; Colour (normal, A4): Up to 21 ppm		
First page out⁸	Black (A4, ready): As fast as 10.7 sec; Black (A4, sleep): As fast as 12.3 sec Colour (A4, ready): As fast as 12 sec; Colour (A4, sleep): As fast as 12.5 sec	Black (A4, ready): As fast as 10.6 sec; Black (A4, sleep): As fast as 12.4 sec Colour (A4, ready): As fast as 12 sec; Colour (A4, sleep): As fast as 12.6 sec	Black (A4, ready): As fast as 10.6 sec; Black (A4, sleep): As fast as 12.2 sec Colour (A4, ready): As fast as 12.3 sec; Colour (A4, sleep): As fast as 12.6 sec
Technology	Laser		
Resolution (Black/colour, best)	Up to 600 x 600 dpi		
Mobile print capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Mobile Apps	HP ePrint; Apple AirPrint™; Mopria™-certified; Mobile Apps	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Mobile Apps
Wireless capability	Built-in 802.11 b/g/n; authentication via WEP, WPA/WPA2, or 802.11x; encryption via AES or TKIP; WPS; Wi-Fi Direct	No	Built-in 802.11 b/g/n; authentication via WEP, WPA/WPA2, or 802.11x; encryption via AES or TKIP; WPS; Wi-Fi Direct
Languages	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PCLm, PDF, URF		
Management	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbox; HP JetAdvantage Security Manager		
Scan			
Technology	Contact Image Sensor (CIS)		
Type	Flatbed, ADF		
Speed (Normal, A4)⁹	Up to 26 ppm		
Resolution (Enhanced/Hardware)	Up to 300 x 300 dpi (ADF); up to 1200 x 1200 dpi (Flatbed); Up to 300 x 300 dpi (colour and mono ADF); up to 1200 x 1200 dpi (Flatbed)		
Digital sending standard features	Scan to email; scan to folder; scan to USB drive		
Colour scanning	Yes		
Size (ADF/Flatbed)	215.9 x 355.6 mm/215.9 x 297 mm		
Input mode	Front-panel scan, copy, e-mail, fax, or file buttons; HP Scan software; and user application via TWAIN or WIA		
File format	JPEG, RAW (BMP), PNG, TIFF, PDF		
Grayscale level	256		
Bit depth	24-bits (colour); 8-bits (mono)		
Copy			
Speed (A4, normal)	Black: Up to 21 ppm; Colour: Up to 21 ppm		
Resolution	Black (text and graphics): Up to 600 x 600 dpi Colour (text and graphics): 600 x 600 dpi		
Max no of copies	Up to 99 copies		
Copier resize	25 to 400%		
Fax			
Transmission speed	No	33.6 kbps (maximum), 14.4 kbps (default)	
Fax memory	No	Up to 1300 pages	
Resolution (Best)*	No	Up to 300 x 300 dpi	
Fax features	No	Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: Yes; Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Junk barrier supported: Yes; CSID matching only: Caller ID not supported; Maximum speed dialing numbers: Up to 120 numbers; PC interface supported: Yes; Fax polling supported: Yes (receive only)	
Connectivity			
Connectivity	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000 Base-TX network port, 802.11n 2.4/5GHz wireless, Front Host USB	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000 Base-TX network port, Fax port, Front Host USB	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100/1000 Base-TX network port, 802.11n 2.4/5GHz wireless, Fax port, Front Host USB
Network ready	Standard built-in Ethernet 802.11 b/g/n wifi operates as both an AP (with Wi-Fi Direct) and STA	Standard built-in Ethernet	Standard built-in Ethernet 802.11 b/g/n wifi operates as both an AP (with Wi-Fi Direct) and STA
Network Capabilities	Yes, via built-in 10/100/1000 Base-TX Ethernet; Auto-crossover Ethernet; Authentication via 802.11x		
Memory (maximum)	256 MB DDR, 256 MB Flash		
Processor speed	800 MHz		
Media			
Duty cycle	Up to 40,000 pages		
Recommended Monthly Page Volume	150 to 2500		
Automatic Document Feeder	Up to 50 pages		
Duplex print options	No	Automatic (standard)	
Paper handling	250-sheet input tray; 1-sheet priority tray; 100-sheet output bin		
Type	Paper (bond, brochure, colored, glossy, heavy, letterhead, light, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock		
Media weight	60 to 163 g/m ² (Uncoated/Matte, recommended), however up to 175 g/m ² Postcards and 200 g/m ² HP Matte is allowed in the driver; 60 to 163 g/m ² (Coated/Glossy, recommended), however up to 175 g/m ² Postcards and 220 g/m ² HP Glossy is allowed in the driver.		
Media sizes custom	76 x 127 to 216 x 356 mm		
Dimensions (W x D x H)	420 x 388.6 x 334.1 mm	420 x 421.7 x 334.1 mm	
Weight	18.0 kg	18.7 kg	
Systems			
Compatible operating systems	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® OS X El Sierra(v10.12), Capitan (v10.11), Yosemite (v10.10); 1.5 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html). Unix (For more information, see http://www.hp.com/go/unixmodelscripts)		
Minimum system requirements	PC: Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only); any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Mac: Apple® OS X Sierra(v10.12), El Capitan (v10.11), Yosemite (v10.10); 1.5 GB HD; Internet required; USB		
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication; Firewall and ACL; SNMPv3		
Control panel	2.7" colour graphic touch screen with 3 button at left side (Home, Help, Back)		
Power	Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)(Not dual voltage, product varies by part number with # Option code identifier); Power consumption²: 342 watts (active printing), 8.0 watts (ready), 1.2 watts(sleep), 0.1 watt (Manual-Off), 0.1 (Auto-off/Manual-on), 0.1 watt(Auto-Off/Wake on LAN); Typical Electricity Consumption number:⁵ Es: 0.759 kWh/Week; BA: 0.696 kWh/Week	Power supply type: Internal (Built-in) power supply; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)(Not dual voltage, product varies by part number with # Option code identifier); Power consumption²: 342 watts (active printing), 8.0 watts (ready), 1.2 watts(sleep), 0.1 watt (Manual-Off), 0.1 (Auto-off/Manual-on), 0.1 watt(Auto-Off/Wake on LAN); Typical Electricity Consumption number:⁵ Es: 0.759 kWh/Week; BA: 0.669 kWh/Week	
Software included	For Windows OS: HP Software Installer, HP Software Uninstaller, HP PCL6 Printer Driver, HP Device Experience (DXP), HP Web Services Assist (HP Connected), Device Setup & Software, HP Printer Assistant, HP Product Improvement Study, Online user manuals, HP Scan Driver, HP Scan Application. For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)	For Windows OS: HP Software Installer, HP Software Uninstaller, HP PCL6 Printer Driver, HP Device Experience (DXP), HP Web Services Assist (HP Connected), Device Setup & Software, HP Printer Assistant, HP Product Improvement Study, Online user manuals, HP Scan Driver, HP Scan Application, HP Fax Driver, HP Fax Application. For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)	
Acoustics	Acoustic Power Emissions: 6.4 B(A) (Mono), Simplex; 6.3 B(A) (Colour), Simplex; 6.3 B(A) (Mono), Duplex; 6.3 B(A) (Colour), Duplex; Acoustic Power Emissions (ready): 2.6 B(A); Acoustic Pressure Emissions Bystander (active, printing): 50 dB(A) (Mono), Simplex; 50 dB(A) (Colour), Simplex; 50 dB(A) (Mono), Duplex; 49 dB(A) (Colour), Duplex; Acoustic Pressure Emissions Bystander (ready): 16 dB(A)		
Environmental ranges	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17 to 25°C; Non-operating Humidity Range: 0 to 95% RH; Operating Humidity Range: 10 to 80% RH; Recommended Operating Humidity Range: 30 to 70% RH; Storage Temperature: -20 to 40°C		
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLR, Bonjour; Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6		
What's in the box¹	HP Color LaserJet Pro MFP M280nw(T6B80A); Introductory HP LaserJet Color cartridges (~700 color composite (C/Y/M) yield and ~1400 page yield black); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable	HP Color LaserJet Pro MFP M281fdn(T6B81A); Introductory HP LaserJet Color cartridges (~700 color composite (C/Y/M) yield and ~1400 page yield black); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable (AP only)	HP Color LaserJet Pro MFP M281fdw(T6B82A); Introductory HP LaserJet Color cartridges (~700 color composite (C/Y/M) yield and ~1400 page yield black); Installation guide; Printer documentation and software on CD-ROM; Power cord; USB cable
Warranty features	1 Year Limited Warranty (Return to HP/Dealer - Standard Bench Repair)		

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization
For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



Windows 10



HP Care Pack

Top Features

Achieve the fastest in-class two-sided printing speed and First Page Out Time (FPOT).^{1,2} Boost colour productivity with a touchscreen display and easy scan and security features.

Get more pages and help protect your MFP, using Original HP Toner cartridges with JetIntelligence.⁶

Print and scan from your smartphone, and easily order toner, with the HP Smart app.⁷ Get a stable, reliable wireless connection with dual band Wi-Fi®.⁴

Product

T6B80A	HP Colour LaserJet Pro MFP M280nw
T6B81A	HP Colour LaserJet Pro MFP M281fdn
T6B82A	HP Colour LaserJet Pro MFP M281fdw

Supplies

CF500A	HP 202A Black Original LaserJet Toner Cartridge (1,400 pages)
CF500X	HP 202X High Yield Black Original LaserJet Toner Cartridge (3,200 pages)
CF501A	HP 202A Cyan Original LaserJet Toner Cartridge (1,300 pages)
CF501X	HP 202X High Yield Cyan Original LaserJet Toner Cartridge (2,500 pages)
CF502A	HP 202A Yellow Original LaserJet Toner Cartridge (1,300 pages)
CF502X	HP 202X High Yield Yellow Original LaserJet Toner Cartridge (2,500 pages)
CF503A	HP 202A Magenta Original LaserJet Toner Cartridge (1,300 pages)
CF503X	HP 202A Magenta Original LaserJet Toner Cartridge (2,500 pages)

HP Care Packs

UH757E	HP 3 year Care Pack w/Next Day Exchange for LaserJet Printers
UH773E	HP 3 year Care Pack w/Onsite Exchange for LaserJet Printers
UH764E	HP 3 year Care Pack w/Return to Depot Support for LaserJet Printers
U6N05E	HP Installation with Networking Service for Consumer Printer

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 8722 9000	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to: (65) 6275 6707 Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Sri Lanka For more information, please visit us at hp.com/apac/homeandoffice

HP Order-a-Cartridge

Call HP's Order-a-Cartridge³ service and have them conveniently delivered to your doorstep.

China	800 820 0851/400 820 0851
India	1800 3003 3003
Korea	080 703 0700

HP SureSupply³

Discover how HP SureSupply redefines convenience in purchasing printer cartridge supplies online.

To order online, please visit hp.com/apac/oac for more details.³

¹ Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at <http://support.hp.com/us-en/document/c03561640>. For details on local printing requirements see <http://www.hp.com/go/mobileprinting>

² Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at <http://www.hp.com/go/mobileprinting>. Wi-Fi is a registered trademark of Wi-Fi Alliance®. The HP Colour LaserJet Pro MFP M180n model does not offer Dual Band wireless networking.

³ Available in selected countries only.

Footnotes

- ¹ Compared with the majority of color laser AiOs < \$450 USD and Print Speed 0-30ppm, based on market share of IDC CYQ3 2018 Hardcopy Peripherals Tracker. Automatic Duplex Printing Speed based on manufacturers' published specifications as of November 9, 2018. See hp.com/go/printerspeeds.
- ² Comparison based on manufacturers' published specifications for First Page Out Time FPOT as of March 6, 2017. Includes color laser MFPS < \$450 USD and printers < \$300 USD based on market share as reported by IDC as of Q4 2016. See <http://www.hp.com/go/printerspeeds>
- ³ For details on local printing requirements see <http://www.hp.com/go/mobileprinting>
- ⁴ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at <http://www.hp.com/go/mobileprinting>. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
- ⁵ Based on cartridge yields for HP 201X compared with HP 202X Original HP LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>
- ⁷ Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at <http://support.hp.com/us-en/document/c03561640>. For details on local printing requirements see <http://www.hp.com/go/mobileprinting>
- ⁸ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- ⁹ Requires Amazon Alexa, Google Assistant, or Microsoft Cortana and an HP web-connected printer registered with Google Cloud Print or ePrint. For ePrint account registration, see www.hp.com/go/support/eprint.

Technical specifications disclaimers

- ¹ Ship with A black cartridge, introductory cartridges included for C/Y/M ~1400 page yield black and ~700 page yield color composite (C/Y/M).
- ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- ³ Declared yield value in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>
- ⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁷ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- ⁸ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁹ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

To learn more, visit <http://www.hp.com>

